

# Outdoor power distribution cabinet with IP54 rating for field operations

If you are looking for a custom enclosure that meets the IP54 standard, our professional designing and development team can help you a lot. Metal finishes can be customized including aluminum alloys, ...

Customizable Indoor & Outdoor IP54 Stainless Steel Low Voltage Distribution Cabinet Industrial Electrical Floor Standing Box is a crucial component of electrical systems, playing a vital role in safe ...

The IP54 Electrical Enclosure (AE Series) by E-abel is a high-quality, ...

An Outdoor Distribution Cabinet is an enclosure that houses and protects electrical equipment from the elements. It is typically made of metal or plastic and has a door that can be opened and closed.

The Base Station Energy Cabinet is a fully enclosed, weather-resistant telecom energy cabinet designed to provide reliable power distribution and battery backup for outdoor communication networks.

KDM IP54 Enclosure  
 What Does The IP Code Mean? What Does IP54 Mean? What Is The Difference Between IP45 and Ip54? What Is Associated with The Letters After The Main IP Code? What Testing Do IP54 Enclosures undergo? Can IP54 Standards Be Converted Into Any Nema Type? Can IP54 Enclosures Be Used For Outdoor Applications? Is IP54 Waterproof? Are IP54 Enclosures Explosion-Proof? Yes, but only under certain conditions. This enclosure will protect your electrical components only if the water spray is not pressurized. However, it can be from any direction. Thus, IP54 enclosures are great for splashing water, rain, and snow. It may not be waterproof, but it is sufficiently weather-proof. See more on kdmsteel

```

#b_results
.b_vidAns{border-radius:6px;box-shadow:0 0 0 1px rgba(0,0,0,.05);padding:16px 20px;gap:10px;background:#fff}@charset "UTF-8";#b_results
.b_ans.b_vidAns{box-shadow:none!important;padding:var(--smtc-gap-between-content-medium) 0!important;background:var(--bing-smtc-background-ctrl-fade-on-image-stop-0)}#b_results #serpvidans.vsacf
.mc_vtvc,#b_results #serpvidans.vsacf .mc_vtvc_th,#b_results #serpvidans.vsacf .cico,#b_results
#serpvidans.vsacf .mc_vtvc_htb,#b_results #serpvidans.vsacf .vrhc,#b_results #serpvidans.vsacf
.vrhcp,#b_results #serpvidans.vsacf .vrhtc,#b_results #serpvidans.vsacf
.vrhtpc{border-radius:var(--mai-smtc-corner-list-card-default)}#b_results #serpvidans.vsacf .mmlist
.mc_vtvc,#b_results #serpvidans.vsacf .mmlist .mc_vtvc .mc_vtvc_meta{margin:0}#b_results
#serpvidans.vsacf .mmlist .mc_vtvc .mc_vtvc_meta .mc_vtvc_meta_channel,#b_results #serpvidans.vsacf
.mmlist .mc_vtvc .mc_vtvc_meta
.mc_vtvc_meta_row_channel{color:var(--smtc-foreground-content-neutral-primary)}#serpvidans.vsacf,#serpv
idans.vsacf .expctn .expbody,#serpvidans.vsacf
.mmlist{display:flex;flex-direction:column;gap:var(--smtc-gap-between-content-medium)}#serpvidans.vsacf
.cico{height:auto}#serpvidans.vsacf .mc_vtvc_ban_lo{top:0;right:auto}#serpvidans.vsacf .mc_cwvc .mc_vtvc
    
```

# Outdoor power distribution cabinet with IP54 rating for field operations

```

.mc_vtvc_meta,#serpvidans.vsacf .mmlist .mc_vtvc
.mc_vtvc_meta{height:auto;padding:var(--smtc-gap-between-content-xx-small) 0
var(--smtc-gap-between-content-xx-small)
var(--smtc-gap-between-content-medium);display:flex;flex-direction:column;justify-content:space-between}#
serpvidans.vsacf .mc_cwvc .mc_vtvc .mc_vtvc_meta .mc_vtvc_title,#serpvidans.vsacf .mmlist .mc_vtvc
.mc_vtvc_meta
.mc_vtvc_title{color:var(--smtc-ctrl-link-foreground-brand-rest);font:var(--bing-smtc-text-global-body2);height:
auto;display:-webkit-box;-webkit-line-clamp:2;-webkit-box-orient:vertical}#serpvidans.vsacf .mc_cwvc
.mc_vtvc .mc_vtvc_meta .mc_vtvc_meta_block_area,#serpvidans.vsacf .mc_cwvc .mc_vtvc .mc_vtvc_meta
.mc_vtvc_meta_block,#serpvidans.vsacf .mmlist .mc_vtvc .mc_vtvc_meta
.mc_vtvc_meta_block_area,#serpvidans.vsacf .mmlist .mc_vtvc .mc_vtvc_meta
.mc_vtvc_meta_block{display:flex;flex-direction:column;gap:var(--smtc-padding-ctrl-text-side)}#serpvidans.
vsacf .mc_cwvc .mc_vtvc .mc_vtvc_meta .mc_vtvc_meta_block_area .mc_vtvc_meta_row,#serpvidans.vsacf
.mc_cwvc .mc_vtvc .mc_vtvc_meta .mc_vtvc_meta_block .mc_vtvc_meta_row,#serpvidans.vsacf .mmlist
.mc_vtvc .mc_vtvc_meta .mc_vtvc_meta_block_area .mc_vtvc_meta_row,#serpvidans.vsacf .mmlist
.mc_vtvc .mc_vtvc_meta .mc_vtvc_meta_block .mc_vtvc_meta_row
.mc_vtvc_meta_row{color:var(--smtc-foreground-content-neutral-primary);height:var(--mai-smtc-padding-card-default);font:var(--bing-smtc-text-global-caption1)}#serpvidans.vsacf .mc_cwvc .mc_vtvc .mc_vtvc_meta
.mc_vtvc_meta_block_area .mc_vtvc_meta_row .mc_vtvc_meta_row_channel::before,#serpvidans.vsacf
.mc_cwvc .mc_vtvc .mc_vtvc_meta .mc_vtvc_meta_block .mc_vtvc_meta_row
.mc_vtvc_meta_row_channel::before,#serpvidans.vsacf .mmlist .mc_vtvc .mc_vtvc_meta
.mc_vtvc_meta_block_area .mc_vtvc_meta_row .mc_vtvc_meta_row_channel::before,#serpvidans.vsacf
.mmlist .mc_vtvc .mc_vtvc_meta .mc_vtvc_meta_block .mc_vtvc_meta_row
.mc_vtvc_meta_row_channel::before{content:" . "}#serpvidans.vsacf .mc_cwvc .mc_vtvc .mc_vtvc_meta
.mc_vtvc_meta_block_area .mc_vtvc_meta_pubdate,#serpvidans.vsacf .mc_cwvc .mc_vtvc .mc_vtvc_meta
.mc_vtvc_meta_block .mc_vtvc_meta_pubdate,#serpvidans.vsacf .mmlist .mc_vtvc .mc_vtvc_meta
.mc_vtvc_meta_block_area .mc_vtvc_meta_pubdate,#serpvidans.vsacf .mmlist .mc_vtvc .mc_vtvc_meta
.mc_vtvc_meta_block
.mc_vtvc_meta_pubdate{color:var(--bing-smtc-foreground-content-neutral-tertiary);padding-bottom:0}.vsacf
.mc_cwvc .mc_vtvc_con_rc,.vsacf .mmlist .mc_vtvc_con_rc{display:flex}.vsacf .mc_cwvc .mc_vtvc_con_rc
.mc_vtvc_meta_w,.vsacf .mmlist .mc_vtvc_con_rc .mc_vtvc_meta_w{height:auto}.vsacf
.b_title{padding-left:0}.vsacf .b_title
.mmtitle{font:var(--bing-smtc-text-global-subtitle1-strong);margin-bottom:0}.vsacf .b_title .mmtitle
a::after{content:"";margin:5px 5px 0 0;border-top:2px solid
var(--smtc-foreground-content-neutral-primary);border-right:2px solid
var(--smtc-foreground-content-neutral-primary);background-size:7px
7px;width:7px;height:7px;transform:rotate(45deg);display:inline-block;margin-left:4px}#serpvidans.vsacf
.b_title .mmtitle{margin-bottom:0}#serpvidans.vsacf .b_title .mmtitle
a{color:var(--smtc-foreground-content-neutral-primary)}#serpvidans.vsacf .cardless.mmlist
.mc_vtvc_con_rc,#serpvidans.vsacf .cardless.mmlist .mc_vtvc_th{height:auto}#serpvidans.vsacf

```

# Outdoor power distribution cabinet with IP54 rating for field operations

```
.vsb_tr_c.va_tt{margin:0}#serpvidans.vsacf .vtbc .mv_vtvc_play,#serpvidans.vsacf .vtbc
.mv_vtvc_play_ext{position:static}#serpvidans.vsacf .va_tt
.mc_vtvc_ban_lo{display:block}#serpvidans.vsacf
.mc_bc{width:auto;border-radius:var(--smtc-ctrl-badge-sm-corner);padding:var(--smtc-padding-ctrl-text-side)
var(--smtc-gap-between-content-xx-small)}#serpvidans.vsacf .rmts .mc_bc
ems{display:none}#serpvidans.vsacf a.vsb_tr_t{color:var(--smtc-foreground-content-neutral-primary)}.vsacf
.va_tt .vsb_tr_chd .mc_vtvc_th_dock.rmoveoverlay{height:36px}.vsacf .va_tt .vsb_tr_chd
.mc_vtvc_th_dock{height:92px;background:linear-gradient(180deg,var(--bing-smtc-background-ctrl-fade-on-i
mage-stop-0) 0%,var(--mai-smtc-background-ctrl-on-image-rest) 100%)}#serpvidans.vsacf .va_tt a.vsb_tr_t{padding:0
0;font:var(--bing-smtc-text-global-body-2-alt-strong)}.vsacf .va_tt .vsb_tr_chd .mc_vtvc
.mc_vtvc_meta,.vsacf .va_tt .vsb_tr_chd .mc_vtvc
.mc_vtvc_title{color:var(--mai-smtc-foreground-ctrl-on-image-rest)}.vsacf
span.vcmt_ctt{font:var(--bing-smtc-text-global-caption2);margin:var(--smtc-gap-between-content-xx-small) 0
0;height:16px}#serpvidans.vsacf .vsb_tr_chd .mc_vtvc_tot .mc_vtvc_title
strong{font-size:14px;line-height:20px;display:unset}#serpvidans.vsacf .va_tt .b_sldrpr
.slide:not(:first-child){margin-left:var(--smtc-gap-between-content-small)}#serpvidans.vsacf .va_tt
.vsb_tr_chd .mc_vtvc
.mc_vtvc_title{white-space:normal;display:-webkit-box;-webkit-line-clamp:2;-webkit-box-orient:vertical}#se
rpvidans.vsacf .b_module_expansion_control .b_btnContainer
.b_CompactExpansion{background-color:var(--bing-smtc-background-ctrl-neutral-rest);display:flex;justify-co
ntent:center;align-items:center;gap:4px;width:fit-content;height:auto;padding:8px 12px}#serpvidans.vsacf
.b_module_expansion_control .b_btnContainer .b_CompactExpansion
.b_CompactExpansionBtnText{font:var(--bing-smtc-text-global-caption1-strong);color:var(--bing-smtc-foregr
ound-content-brand-rest)}#serpvidans.vsacf .b_module_expansion_control .b_btnContainer
.b_CompactExpansion .b_arrow{display:flex;margin:0;height:auto}#serpvidans.vsacf
.b_module_expansion_control .b_btnContainer .b_CompactExpansion .b_arrow
path#Shape{fill:var(--bing-smtc-foreground-content-brand-rest)}#serpvidans.vsacf
.b_module_expansion_control
.b_btnContainer::after{content:"";position:absolute;width:100%;bottom:20px;left:0;height:1px;border-radius:
1px;background:var(--smtc-stroke-ctrl-on-neutral-rest)}#b_results
.b_ans.b_vidAns{box-shadow:none;padding:12px 20px 0}#b_results .b_ans.b_vidAns
.vasac{padding:unset;margin:0}#b_results .b_ans.b_vidAns .vsa .b_attribution{padding-bottom:0}#b_results
.b_ans.b_vidAns .cardless .salink{margin:0}#b_results .b_ans.b_vidAns .mmlist
.mc_vtvc{margin-top:10px}#b_results .b_ans.b_vidAns .mmlist .mc_vtvc
.mc_vtvc_meta{display:flex;flex-direction:column;justify-content:space-between;margin:0 10px 4px
12px}#b_results .b_ans.b_vidAns .mmlist .mc_vtvc .mc_vtvc_meta
.mc_vtvc_meta_channel{color:#111}#b_results .b_ans.b_vidAns .mmlist .mc_vtvc .mc_vtvc_meta
.mc_vtvc_meta_row_channel,#b_results .b_ans.b_vidAns .mmlist .mc_vtvc .mc_vtvc_meta
.mc_vtvc_meta_block_area{color:#666}#b_results .b_ans.b_vidAns .mmlist .mc_vtvc .mc_vtvc_meta
.mc_vtvc_meta_block_area{bottom:0;height:unset}.b_dark .vsa.cardless
```

## Outdoor power distribution cabinet with IP54 rating for field operations

```
.mc_vtvc{background-color:unset}.mmtitle>a{display:block}.mc_fh{height:100%;border-radius:6px}.mc_tc_
bs{overflow:hidden}.mmlist .mc_vtvc .mc_vtvc_meta { padding: 12px 16px 16px 16px; } .mmlist .mc_vtvc
.mc_vtvc_meta_w { height: 112px; margin-top: -0px; } .mmlist .mc_vtvc .mc_vtvc_title { height: 44px;
line-height: 22px; margin-bottom: 0px; margin-top: 0px; } .mmlist .mc_vtvc .mc_vtvc_meta_block_area {
height: 40px; } .mmlist .mc_vtvc .vtmu, .mmlist .mc_vtvc .vtpl { bottom: 120px; } .mmlist .mc_vtvc_th_dock
{ height: 112px; } .mmlist .mc_vtvc_th .cico { height: 131px; }
.mc_vtvc{background-color:#fff;box-shadow:0 0 0 1px
rgba(0,0,0,.05);line-height:0;margin:0;position:relative;border-radius:6px;overflow:hidden}.mc_vtvc.noshado
w{box-shadow:none}.mc_vtvc_con_rc{border-radius:6px;overflow:hidden;position:relative}.mc_vtvc>a{colo
r:#71777d;display:block;text-decoration:none;width:100%}.mc_vtvc>a:focus::after{outline:2px solid
#00a89d;width:100%;height:100%;content:"";outline-offset:-2px;position:absolute;top:0;left:0}.mc_vtvc_th{ba
ckground-color:#d5d5d5;position:relative}.mc_vtvc_th
.cico{border-radius:0}.mc_vtvc_ban_lo,.mc_vtvc_ban_up{position:absolute;vertical-align:middle}.mc_vtvc_
ban_lo{bottom:0}.mc_vtvc_ban_up{top:0}.mc_vtvc_title{font-weight:normal;margin-bottom:11px;overflow:
hidden;color:#111;height:54px;line-height:18px}.mc_vtvc_title
a{display:inline-block;color:#111}.mc_vtvc_title
a:hover{text-decoration:underline}.mc_vtvc_src_ico{float:left;margin-right:4px}.mc_vtvc_act{height:16px;m
argin-top:-40px;padding:12px
8px;z-index:1}.mc_vtvc_actc{right:16px;bottom:16px;position:absolute;display:inline-block;z-index:1}.mc_v
tvc_act_sep{border-top:1px solid #d5d5d5;height:40px;margin:0 8px}.mc_vtvc_fh
.mc_vtvc_act_sep,.mc_vtvc_fh .mc_vtvc_act{visibility:hidden}#serpvidans
.b_topTitle{margin-bottom:8px}.mc_vtvc_htc{width:100%;height:100%;position:absolute;top:0;bottom:0;left
:0;right:0}.mc_vtvc_htb{width:100%;height:100%;background:rgba(0,0,0,.7);position:absolute;top:0;bottom:
0;left:0;right:0}.mc_vtvc_ht{width:100%;padding:0
16px;line-height:16px;color:#fff;text-decoration:underline;word-break:break-word;box-sizing:border-box;vert
ical-align:middle;text-align:center}.mc_vtvc_th_live_b{background-color:#c80000;color:#fff;display:inline-bl
ock;padding:2px 8px;font:11px/14px
Arial;border-radius:2px;text-transform:uppercase;height:15px;width:26px;position:absolute;left:8px;top:110p
x}.isvctrl .isv
.mc_vtvc_ban_up{left:0;right:initial}.mc_vtvc_ban_lo,.mc_vtvc_ban_up{right:0}.vt_text.b_IRight
.b_ILeft{margin:0 0 0 1px;height:14px;line-height:14px;padding:2px
8px;background:rgba(0,0,0,.75);border-radius:2px;font-weight:bold}.mc_vthtb{width:100%;height:100%;bac
kground:rgba(0,0,0,.7);position:absolute;top:0;bottom:0;left:0;right:0;display:table}.mc_vtht{width:100%;pad
ding:0
16px;line-height:16px;color:#fff;text-decoration:underline;word-break:break-word;box-sizing:border-box;vert
ical-align:middle;text-align:center;display:table-cell}.vt_text.b_IRight .b_ILeft{margin:0 0 0
1px;height:14px;line-height:14px;padding:2px
8px;background:rgba(0,0,0,.75);border-radius:2px;font-weight:bold}.emptyStyleForDebuggingPurpose{top:0
}.emptyStyleForDebuggingPurpose{top:0}.mc_vtvc_center_play{width:32px;height:32px;background-size:c
ontain;position:absolute;margin:auto;bottom:0;top:0;left:0;right:0;box-shadow:none;border-radius:0}.mc_vtvc
```

# Outdoor power distribution cabinet with IP54 rating for field operations

```

_center_play.rmvbg{width:32px;height:32px;background-image:none}.mc_vtvc_htb,.mc_vtvc_ht{display:none}.vt_onhv
.mc_vtvc_htb{display:table}.vt_onhv
.mc_vtvc_ht{display:table-cell}.mc_vtvc_center_play{display:inline-block}.vt_onhv
.mc_vtvc_center_play{display:none}.mc_vtvc .vtmu,.mc_vtvc .vtpl{bottom:163px}.vsarf .mc_vtvc
.vtmu,.vsarf .mc_vtvc .vtpl{bottom:122px}.svarh #mmcar .mc_vtvc .vtmu,.svarh #mmcar .mc_vtvc
.vtpl{bottom:137px}.svarht #mmcar .mc_vtvc .vtmu,.svarht #mmcar .mc_vtvc
.vtpl{top:8px;left:8px}.mc_vtvc_center_play{background-image:url(data:image/svg+xml,%3Csvg%20width
%3D%2232%22%20height%3D%2232%22%20viewBox%3D%220%200%2032%2032%22%20fill%3D%22
none%22%20xmlns%3D%22http%3A%2F%2F%2F2000%2Fsvg%22%3E%0D%0A%20%20%20%20%3Cr
ect%20width%3D%2232%22%20height%3D%2232%22%20rx%3D%2216%22%20fill%3D%22black%22%
20fill-opacity%3D%220.6%22%2F%3E%0D%0A%20%20%20%20%3Cpath%20d%3D%22M14.2354%201
0.1923C13.2355%209.62986%2012%2010.3524%2012%2011.4997V20.5C12%2021.6472%2013.2355%202
2.3698%2014.2354%2021.8073L22.2356%2017.3073C23.2551%2016.7339%2023.2551%2015.2661%2022.
2357%2014.6926L14.2354%2010.1923Z%22%20fill%3D%22white%22%20fill-opacity%3D%220.9%22%2
F%3E%0D%0A%3C%2Fsvg%3E)}.mmlist .mc_vtvc{margin:10px 1px 0}.mmlist
.mc_vtvc_con_rc{display:flex}.cardless .mmlist .mc_vtvc_con_rc{height:112px}.mmlist .mc_vtvc
.mc_vtvc_meta{display:flex;flex-direction:column;justify-content:space-between;margin:0 10px 4px
12px;padding:0}.mmlist
.mc_vtvc_title{font-weight:400;font-size:16px;height:44px;line-height:22px;margin-bottom:0;margin-top:0;c
olor:unset}.mmlist .mc_vtvc_meta_row{font-size:13px}.mmlist .mc_vtvc
.mc_vtvc_meta_block_area{height:unset}.mmlist .mc_vtvc .vtmu,.mmlist .mc_vtvc
.vtpl{bottom:8px}.cardless .mmlist .mc_vtvc{box-shadow:none}.cardless.mmlist
.mc_vtvc_center_play{width:32px;height:32px}.cardless.mmlist
.mc_vtvc_title{font-size:16px;color:unset}.cardless.mmlist
.mc_vtvc_meta_row{line-height:20px}.cardless.mmlist
.mc_vtvc_meta_pubdate{padding-bottom:2px;color:#666}.cardless.mmlist .mc_vtvc_th,.cardless.mmlist
.mc_vtvc_th .cico,.cardless.mmlist .mc_vtvc_th div.rms_img{border-radius:6px}.cardless.mmlist
.mc_vtvc_th{height:111px}.cardless.mmlist
.mc_vtvc_htc{border-radius:6px;overflow:hidden}#serpvidans.vasac.cardless{box-shadow:none}.cardless.m
mmlist .mc_bc{padding:2px 8px;line-height:14px;border-radius:2px;font-weight:normal}.mmlist
.mc_vtvc:hover
.mc_vtvc_title{text-decoration:underline}.mc_vtvc_meta{box-sizing:border-box;display:inline-block;line-hei
ght:18px;position:relative;width:100%}.mc_vtvc_meta_block{bottom:0;position:absolute;width:100%}.mc_v
tvc_meta_row{line-height:16px;font-size:11px;height:17px;overflow:hidden;text-overflow:ellipsis;white-spac
e:nowrap}.mc_vtvc_meta_row a{display:inline-block}.mc_vtvc_meta_row
a:hover{text-decoration:underline}.mc_vtvc_meta_block_area{position:relative}.mc_vtvc_meta_block,.mc_v
tvc_meta_block a{color:#444}.b_dark
.mc_vtvc_meta_block{color:#edebe9}.mc_vtvc_meta_row>:nth-of-type(n+2)::before{content:"
"}.mc_vtvc_meta_row .mc_vtvc_meta_row_channel::before{content:">
"}.mc_vtvc_kmt_title{line-height:18px;padding-bottom:4px;font-weight:bold;color:#00809d;text-transform:u

```

# Outdoor power distribution cabinet with IP54 rating for field operations

```

ppercase;font-size:11px}.mc_vtvc_kmt,.mc_vtvc_con_rc.onhov .wkmt
.mc_vtvc_meta_row,.mc_vtvc_con_rc.onhov .wkmt .tbc_tt{display:none}.mc_vtvc_con_rc.onhov .wkmt
.mc_vtvc_title{max-height:18px;margin-bottom:18px;overflow:hidden}.mc_vtvc_con_rc.onhov.mmsts
.mc_vtvc_title{visibility:hidden}.mc_vtvc_con_rc.onhov
.mc_vtvc_kmt{display:block}.mc_vtvc_kmt_content
.b_factrow{line-height:17px;font-size:11px;max-height:34px;overflow:hidden;text-overflow:ellipsis;padding:
0 16px 0 0;color:#444}.mc_vtvc_meta
.mc_vtvc_kmt_title{line-height:18px}.mc_vtvc_title:hover{text-decoration:none}.mc_vtvc_meta_pubdate{co
lor:#444;padding-bottom:3px}.mc_vtvc_meta_channel{color:#444}.mc_vtvc_meta_w,.mc_vplvc_meta_w{po
sition:relative}.mc_vtvc_meta_bg_w,.mc_vplvc_meta_bg_w{height:100%;width:100%;overflow:hidden;posit
ion:absolute;top:0}.mc_vtvc_meta_bg_w .cico,.mc_vplvc_meta_bg_w
.cico{border-radius:0;overflow:visible}.dg_u .mm_vidch_th_c{overflow:visible}.dg_u .mm_vidch_th_bg
img{margin-top:-20px}.emptyStyleForDebuggingPurpose{top:0}.mc_vtvc_meta_w
.mc_vtvc_meta{background:rgba(255,255,255,.75)}.mc_vtvc_meta_bg_w img,.mc_vtvc_meta_bg_w
.mc_vtvc_cb_w{filter:blur(25px);transform:scale(1.2)}body[--video-metadata-channel-color:#3c3c3c]body.b
_dark[--video-metadata-channel-color:unset].vsarf .mc_vtvc_meta_pubdate{color:unset}.vsarf
.mc_vtvc_meta_channel{color:var(--video-metadata-channel-color)}.vsarf .mc_vtvc .mc_vtvc_meta_w
.mc_vtvc_title,.vsarf .mc_vtvc .mc_vtvc_meta_w .mc_vtvc_title strong{font-weight:bold}.vsarf
.mc_vtvc_meta_w .mc_vtvc_meta_row{font-size:13px}.emptyStyleForDebuggingPurpose{top:0}.vsarf
.mc_vtvc_th
.cico{height:132px}.emptyStyleForDebuggingPurpose{top:0}.emptyStyleForDebuggingPurpose{top:0}.empt
yStyleForDebuggingPurpose{top:0}.emptyStyleForDebuggingPurpose{top:0}.emptyStyleForDebuggingPurp
ose{top:0}.emptyStyleForDebuggingPurpose{top:0}.emptyStyleForDebuggingPurpose{top:0}.mmsi{height:1
6px;width:16px;position:relative;top:5px;padding-right:var(--smtc-gap-between-content-xx-small)}.mmsi-mic
rosoftnews,.mmsi-msn{top:3px}.vrhdata{display:none}.vtbc
.mv_vtvc_play{display:inline-block;position:absolute;bottom:8px;left:9px;height:8px;width:7px}.vtbc
.mv_vtvc_play_ext{background:url(/rp/Lp38sn_O4jegSK0IHxZVxyp-yKQ.png) -172px
-31px;display:inline-block;height:8px;width:12px;position:absolute;bottom:8px;left:6px}.vtbc
.pivot{height:20px;width:8px;min-width:8px}.vtbc
.mv_vtvc_play{background:url(
MAAADHKvg1AAAIVBMVEX////////////////////9/gMdvAAAACnRSTIMAETNEVWwImbv
uo4D1oAAAAB9JREFUCB1jmMoABKuaQcSqQhCxKgFGgLhNQIkpQAwA8zkLyQA16F0AAAAASUVO
RK5CYII=)}.mc_bc_w{height:18px;padding:8px;text-align:right}.mc_bc{background-color:rgba(0,0,0,.75);p
adding:2px
8px;line-height:14px;color:#fff;display:inline-block;vertical-align:middle;border-radius:2px;font-weight:bold}
.mc_bc_w .pivot{text-align:center;margin-right:1px;height:14px}.vsarr .mmgrid .mc_bc_w
.mc_bc{background-color:rgba(0,0,0,.75);opacity:1}.mmgrid>div{width:197px;display:inline-block;margin-ri
ght:8px;margin-bottom:8px;box-shadow:0 0 0 1px
rgba(0,0,0,.05);position:relative;vertical-align:top;overflow:hidden;white-space:normal;border-radius:6px}.vs
arr .mmgrid>div,.vsarr1stbig .mmgrid>div{margin-right:8px;margin-bottom:8px}#serpvidansrr .mc_vtvc

```

# Outdoor power distribution cabinet with IP54 rating for field operations

```
.mc_vtvc_meta{height:auto}#serpvidansrr .mc_vtvc
.mc_vtvc_title{display:-webkit-box;-webkit-line-clamp:2;-webkit-box-orient:vertical}.mmgrid
.mc_tc{border:0}.vsa .mmgrid>div:nth-child(3n){margin-right:0}.vsa
.b_moreLink{padding-top:4px}#serpvidansrr
.mc_vtvc_meta_row{line-height:18px;font-size:100%;height:17px}.vsarr
.mmgrid>div:nth-child(2n){margin-right:0}#serpvidansrr .mc_vtvc .vtmu,#serpvidansrr .mc_vtvc
.vtpl{bottom:128px}.vsarr 1stbig .mmgrid>div:nth-child(2){margin-right:0}#serpvidansrr.uipolish
.mc_vtvc_meta_pubdate,#serpvidansrr.uipolish .mc_vtvc_meta_channel,#serpvidansrr.uipolish #vidans2
.b_videocard .video_metadata .video_source{color:#767676}#serpvidansrr #vidans2 .b_videocard
.video_metadata_container,#serpvidansrr #vidans2 .b_videocard .video_metadata_container
.video_metadata>h3{width:100%}@media(max-width:1362.9px){#serpvidansrr
.mmgrid>div{width:168px;height:206px}#serpvidansrr .mmgrid>div .cico,#serpvidansrr .mmgrid>div .cico
.rms_img{width:168px;height:100px}#serpvidansrr .mc_vtvc .mc_vtvc_meta{padding:12px}#serpvidansrr
.mc_vtvc .mc_vtvc_title{height:32px;line-height:16px;margin-bottom:16px}#serpvidansrr .mc_vtvc
.mc_vtvc_meta_block_area{height:34px}#serpvidansrr
.mc_vtvc_meta_row{line-height:15px;font-size:13px;height:15px}#serpvidansrr
.mc_vtvc_meta_pubdate{padding-bottom:4px}#serpvidansrr .mc_vtvc .vtmu,#serpvidansrr .mc_vtvc
.vtpl{bottom:114px}#serpvidansrr #vidans2 .b_videocard .videoPlayer,#serpvidansrr #vidans2 .b_videocard
.videoPlayer .cico,#serpvidansrr #vidans2 .b_videocard .videoPlayer .cico
.rms_img{width:343px!important;height:194px!important;margin-right:0} @media(max-width:1274.9px){#s
erpvidansrr .mmgrid>div{width:124px;height:164px}#serpvidansrr .mmgrid>div .cico,#serpvidansrr
.mmgrid>div .cico .rms_img{width:124px;height:76px}#serpvidansrr .mc_vtvc
.mc_vtvc_meta{padding:8px}#serpvidansrr .mc_vtvc
.mc_vtvc_title{height:32px;line-height:16px;margin-bottom:12px}#serpvidansrr .mc_vtvc
.mc_vtvc_meta_block_area{height:28px}#serpvidansrr
.mc_vtvc_meta_row{line-height:13px;font-size:11px;height:13px}#serpvidansrr
.mc_vtvc_meta_pubdate{padding-bottom:2px}#serpvidansrr .mc_vtvc .vtmu,#serpvidansrr .mc_vtvc
.vtpl{bottom:96px}#serpvidansrr #vidans2 .b_videocard .videoPlayer,#serpvidansrr #vidans2 .b_videocard
.videoPlayer .cico,#serpvidansrr #vidans2 .b_videocard .videoPlayer .cico
.rms_img{width:256px!important;height:144px!important;margin-right:0}#serpvidansrr .maskthumb
.mc_bc_w{padding:8px 4px 4px 8px}#serpvidansrr.withsplitline
.mmgrid>div:nth-last-child(1),#serpvidansrr.withsplitline
.mmgrid>div:nth-last-child(2){margin-bottom:24px}#serpvidansrr.withsplitline .mmgrid{border-bottom:1px
solid #ececec;margin-bottom:16px}#serpvidansrr #vidans2 .b_videocard
.video_metadata{max-width:auto;padding:12px 16px}#serpvidansrr #vidans2
.b_videocard{margin-bottom:12px;box-shadow:0 0 1px rgba(0,0,0,.05),0 2px 3px
rgba(0,0,0,.1);border-radius:6px}#serpvidansrr .b_rich{padding-top:0}#serpvidansrr #vidans2
.videoPlayer{border-radius:6px 6px 0 0;overflow:hidden}#serpvidansrr #vidans2 .b_videocard
.video_metadata>h3{white-space:nowrap;overflow:hidden;text-overflow:ellipsis;-webkit-line-clamp:1;line-he
ight:15px;height:15px;font-size:13px;color:#000;margin-bottom:20px;font-family:"Arial",Helvetica,Sans-Seri
```

## Outdoor power distribution cabinet with IP54 rating for field operations

```
f;font-style:normal;display:block}#serpvidansrr.vsarr1stbig #vidans2 .b_videocard .video_metadata
.actionmenu{display:none}#serpvidansrr #vidans2 .b_videocard .video_summary,#serpvidansrr #vidans2
.b_videocard .video_source{line-height:15px}#serpvidansrr #vidans2 .b_videocard .videoPlayer
.vtbc{right:0}.vrhc line.nhvpv .pffvi,.vrhc line.nhvpv[data-tps="S"] .pffvt,.vrhc line.nhvpv[data-tps="M"]
.pffvt,.vrhc line.nhvpv[data-tps="L"] .pffvt{display:inline-flex}.vrhc line.nhvpv .vrhct.pffv
.vrhol{display:none}.vrhc line.nhvpv .vrhct.pffv
.player_ol{background:var(--mai-smtc-background-ctrl-on-image-hover);transition:background-color
.5s;display:flex;align-items:center;justify-content:center;padding:var(--smtc-gap-between-content-x-small);ga
p:var(--smtc-gap-between-content-x-small);box-sizing:border-box}.mc_vtvc_th img{transition:all .3s
ease-out}.nhvpv+.mc_vtvc_th
img{transform:scale(1.1)}.smtplayerhtml5{height:100%;width:100%;overflow:hidden}.smtplayerhtml5
video{min-height:100%;min-width:100%}.smtplayerhtml5
.videoplaying{background-color:#000}.smtplayerhtml5.hide{display:none}.pffvt{display:none;color:var(--ma
i-smtc-foreground-ctrl-on-image-rest);font:var(--bing-smtc-text-global-subtitle2-strong)}.pffvi{mask:url(/rp/ui
07wU6K7FR_inzG7DRbP1i8fGo.svg) center
no-repeat;mask-size:12px;background:var(--bing-smtc-background-card-on-image-default);width:20px;height
:20px;flex-shrink:0;align-self:flex-start}[data-tps="L"]
.pffvt{font:var(--bing-smtc-text-global-subtitle2-strong)}[data-tps="L"]
.pffvi{width:22px;height:22px;mask-size:16px}[data-tps="S"] .pffvt{font-size:0}[data-tps="S"]
.pffvi{width:24px;height:24px;mask-size:24px;align-self:center}.hvpv.h5s
.pffvt{display:inline-flex}.hvpv.h5s .vrhct.pffv .vrhol{display:none}.hvpv.h5s .vrhct.pffv
.player_ol{background:var(--mai-smtc-background-ctrl-on-image-hover);transition:background-color
.5s;display:flex;align-items:center;justify-content:center;padding:var(--smtc-gap-between-content-x-small);ga
p:var(--smtc-gap-between-content-x-small);box-sizing:border-box}.pffvt{text-decoration:underline}.vrhc
.vrhol{position:absolute;width:100%;height:35px;max-height:35px;bottom:0;left:0;padding:0;background:non
e;display:block;z-index:9}.vrhc .vrhol.hide,.vrhc .vrhol
.hide{display:none}.vrhot{white-space:nowrap;text-overflow:ellipsis;overflow:hidden;display:inline-block;po
sition:absolute;max-width:240px;height:18px;line-height:14px;margin-left:8px;top:10px;left:0;right:0;border-
radius:2px;padding-right:8px}.vrhot div{display:inline-block}.vrhot
nt{color:#fff;font-size:11px;font-weight:bold;background-color:rgba(0,0,0,.75);padding:2px
8px;margin-left:0;top:0;box-sizing:border-box;position:relative}.vrhc
.ricons{position:absolute;right:8px;top:10px;left:auto;bottom:auto;height:18px;display:inline-block;cursor:poi
nter}.vrhol.icons_1 .vrhot{margin-right:27px}.vrhol.icons_2 .vrhot{margin-right:49px}.vrhol.icons_3
.vrhot{margin-right:79px}.vrhol .vrhot .vsb_tr_chd .vrhol.icons_1
.vrhot{margin-right:0}.vpb{position:absolute;display:block;bottom:0;left:0;height:4px}.vpb
div{position:absolute}.vpb .nt{width:0;background:#fff}.vpb
nt.test{display:none}.vpb.back{background-color:#999}.vrhc
.vrhol.npb{height:36px;max-height:36px}.vrhol
.vadda{width:22px;height:18px;padding:0;margin-right:0;margin-left:2px;bottom:0;position:relative;display:i
nline-block;z-index:1;background:rgba(0,0,0,.75);border-radius:2px;overflow:hidden}.vrhol
```

## Outdoor power distribution cabinet with IP54 rating for field operations

```
.vadda.hide{display:none}.vrhol .vadda .mc_vfaa{margin:3px 5px}.ricons .vol{float:left}.ricons
.adultFlag{float:right}.vol{width:22px;height:18px;bottom:0;margin-left:1px;margin-right:1px;position:relati
ve;display:inline-block}.vol.hide,.vol .hide{display:none}.vol
.bg{background:rgba(0,0,0,.75);border-radius:2px}.vol.bg,.vol nt{position:absolute;bottom:0}.vol
.vol.bg.volnb{border-radius:0 0 2px 2px}.vol .volsliderHandle.bg{border-radius:2px 2px 0 0}.vol nt
.volsliderHandle{height:70px;display:none;width:22px;float:left;bottom:18px;position:absolute;display:block
}.vol nt .volsliderHandle.hide{display:none}.volsliderHandle
.vsb{height:54px;width:4px;background-color:#999;margin:9px auto
8px;position:relative;display:block;border-radius:2px}.volsliderHandle
.vsh{height:6px;width:14px;padding:9px 7px 9px 7px;margin:0
-12px;display:block;position:absolute;top:30px}.volsliderHandle .vsh.hide{display:none}.volsliderHandle
.vshi{height:4px;width:14px;background-color:#fff;border-radius:2px}.volMuteIcon{width:16px;height:14px;
margin:2px
4px;float:left}.volMuteHandle{width:22px;height:18px}.vo{background:url(/rp/ffZxBXEIP9WYOO0jhTaEl
yLhEVU.svg) no-repeat}.vm{background:url(/rp/fsX-ZVd03wB2TL0vmQJxSp4U9vs.svg)
no-repeat}.vl{background:url(/rp/YXYMPC1Rry_XJGc7Yg8lR4B2eEs.svg)
no-repeat}.vf{background:url(/rp/NoslR4amKTs1zYxWy3laZN3HRk.svg)
no-repeat}@media(forced-colors:active){.vol{forced-color-adjust:none}.vrhc line .vt_vp,.vrhc.popout
.vt_vp,.vrhc.mousefollow
.vt_vp{position:absolute;bottom:0;border:hidden;padding:0;top:0;left:0;z-index:3}.vrhtc
.hide{display:none}.vrh_clc .vt_vp,.vrh_clc .vrhtc .vrhi,.vrh_clc .player_ol{cursor:pointer}.vrh_clc
.cico{border-radius:0}.vrhtc{border:hidden;top:0;left:0;padding:0}.vrhc.mousefollow .vrhtc,.vrhc.popout
.vrhtc{background-color:#999}.vrhtpc.load
.player_ol{background:url(/rp/J_o2maogFDeUOsovPjL-ofEuxJ4.gif) center center no-repeat}.vrhc line .vrhtc
.vrhi,.vrhc.popout .vrhtc .vrhi,.vrhc.mousefollow .vrhtc
.vrhi{position:absolute!important;border:hidden;z-index:2;padding:0;left:0;top:0}.player_ol{position:absolute
;width:100%;height:100%;bottom:0;border:hidden;z-index:7}.vrhc.popout,.vrhc
line,.vrhc.mousefollow{border-radius:6px;overflow:hidden;display:table-row-group;background:none}.vrhc.p
opout,.vrhc.mousefollow{z-index:4;box-shadow:0 4px 4px rgba(0,0,0,.1),0 2px 80px rgba(0,0,0,.2)}.vrhc
line{z-index:1;margin:0}.vrhc.popout,.vrhc line{position:absolute;top:0}.vrhc.popout{border:1px solid
#fff}.vrhc.mousefollow{position:fixed}.vrhcpc{position:relative;top:0;left:0;display:table-row}.vrhcpc
.vrhtc{position:relative;overflow:hidden}.vrhc.hide{display:none}@keyframes
vh_fadein{from{opacity:0}to{opacity:1}}.vrhc.not(.hide){animation:vh_fadein 250ms}.vrhc line
img{color:transparent}.vrhc
line.fullsize{height:100%}.vrhc,.vrhc.hover,.vrhc.link,.vrhc.active,.vrhc.visited{color:#000;text-decoration:no
ne}.vrhc.vrh_clc{cursor:pointer}a.hover-anchor{display:block;height:100%;width:100%;text-decoration:none
}.vrhstat{height:0;overflow:hidden}Videos of Outdoor Power Distribution Cabinet With IP54 Rating For Fi...Watch video on made-in-china [Hot Item] IP54 Rated Outdoor Stainless Steel Power Distribution
Cabinetmade-in-china 6 days agoWatch video0:55Introduction to Power Distribution Cabinets: An Overview
of Features and Benefits TTF POWER522 viewsMar 7, 2023Watch video2:54IP21 vs IP54, IP65 & IP66:
```

## Outdoor power distribution cabinet with IP54 rating for field operations

Understanding Protection Ratings Simplified! Perfect Power Solutions1.3K viewsJan 28, 2025Watch full videoepcomsol IP54 Outdoor Distribution Cabinet with Integrated ...An Outdoor Distribution Cabinet is an enclosure that houses and protects electrical equipment from the elements. It is typically made of metal or plastic and has a ...

Explore IP54 electrical enclosures from Bison Profab, engineered for dust and splash protection. Find details on IP54 standards, applications, and product options.

Explore our range of IP rated outdoor cabinets & wall mount outdoor racks, engineered for maximum protection and durability in all weather conditions. Get in touch now.

Our IP54 enclosures have a high level of protection against particles, and a fair amount of protection against water. All of our enclosures rigorously comply with the guidelines, so you can count on ...

The IP54 Electrical Enclosure (AE Series) by E-abel is a high-quality, internationally recognized standard electrical distribution box, designed to meet the diverse needs of modern industrial, ...

The RCAB-OD-4535 is an outdoor cabinet system for active and passive equipment that provides maximum protection of customer's equipment against vandalism and extreme weather conditions.

Web: <https://www.rrrprojects.co.za>